ELSEVIER

Volumes 187–188, 12 June 2007

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Foreword 1
Y.-H. Moon, C.-G. Kang

5-Axis machining speed enhancement by step length optimization 2
B.S. So, Y.H. Jung, T.R. Kurfess, S.M. Hwang

Investigation of deviations of the lock-position of dies due to unsteady thermal conditions 6
B.-A. Behrens, A. Kueper

Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam 10
J.N. Lee, R.S. Lee

Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting 14
J.H. Kang, K.O. Lee, J.S. Je, S.S. Kang

Micro deburring for precision parts using magnetic abrasive finishing method 19
S.L. Ko, Y.M. Baron, J.I. Park

An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel 26
K. Kanlayasiri, S. Boonmung

A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system 30
B.S. Kim, S.H. Lee, M.G. Lee, J. Ni, J.Y. Song, C.W. Lee

Five-axis machining time estimation algorithm based on machine characteristics 37
B.S. So, Y.H. Jung, J.W. Park, D.W. Lee

Computer aided design for cross wedge rolling tools of automobile semi-axes 41
Z. Jing, S. Xuedao, Hu. Zhenghuan

Die design for homogeneous plastic deformation during equal channel angular pressing 46
S.C. Yoon, P. Quang, S.I. Hong, H.S. Kim

A study of tool design for minimization of heat-affected zone in rapid heat ablation process 51
H.C. Kim, S.H. Lee, D.Y. Yang

A study on manufacturing technology for an inclined polygon mirror 56
S.-S. Park, H.-J. Lee, K.-Y. Lee, Y. Hwang

Development of a five-axis postprocessor system with a nutating head 60
C.-H. She, C.-C. Chang

A study on optical device alignment system using ultra precision multi-axis stage 65
S.H. Jeong, G.H. Kim, K.R. Cha

Research on rapid repairing techniques for auto panel dies 69
J.K. Ruan, Y.L. Ke, S.Q. Fan, H.Y. Dong

Effects of pad properties on material removal in chemical mechanical polishing 73
K.H. Park, H.J. Kim, O.M. Chang, H.D. Jeong

A new polishing method of metal mold with large-area electron beam irradiation 77
Y. Uno, A. Okada, K. Uemura, P. Raharjo, S. Sano, Z. Yu, S. Mishima

New polishing technology of free form surface by GC 81
X. Wu, Y. Kita, K. Ikoku

A study on press forming of automotive sub-frame parts using extruded aluminum profile 85
Y. Choi, H.T. Yeo, J.H. Park, G.H. Oh, S.W. Park

Elsevier B.V.

A study on the springback in the sheet metal flange drawing 89
S.-W. Lee, Y.-T. Kim

A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming 94
G. Hussain, N.U. Dar, L. Gao, M.H. Chen

A numerical and experimental study of surface deflections in automobile exterior panels 99
C.D. Park, W.J. Chung, B.M. Kim

Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming 103
Y.S. Lee, M.C. Kim, S.W. Kim, Y.N. Kwon, S.W. Choi, J.H. Lee

Optimum design of trimming line by one-step analysis for auto body parts 108
Y.D. Bao, H. Huh

Study on multi-stage sheet metal forming for automobile structure-pieces 113
W. Chen, Z.J. Liu, B. Hou, R.X. Du

Press forming using ultrasonic vibration 118
Y. Ashida, H. Aoyama

Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process 123
G.H. Bae, J.H. Song, H. Huh, S.H. Kim, S.H. Park

The study on numerical simulation of the laser tailor welded blanks stamping 128
X.G. Qiu, W.L. Chen

Experimental research on the stiffness of cylindrical shallow shell 132
L.H. Zhao, Z.Z. Sun, Y.Y. Yang

The axial collapse characteristics of hat shaped section members in a vehicle 136
I.Y. Yang, K.S. Lee, S.G. Park, C.S. Cha

The study of engine hood panel forming based on numerical simulation technology 140
H. Qiu, Y. Huang, Q. Liu

Study on mechanism of cylindrical shallow shell surface deflection 145
Y.Y. Yang, L.H. Zhao, Z.Z. Sun

The blank design and spring back control of a stamping die by using the bi-arc surface model 150
J.J. Sheu, M.E. Jiang

An experimental study on improvement of joining strength of the spin drum seaming division in washing machine 155
E.S. Kim, B.M. Kim

Parameters' automated optimization in sheet metal forming process 159
Q. Liu, W. Liu, F. Ruan, H. Qiu

Friction and formability of galvannealed interstitial free sheet steel 164
L.G. Garza, C.J. Van Tyne

Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes 169
S. Yu, X. Xie, J. Zhang, Z. Zhao

Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels 173
M.H. Chen, L. Gao, D.W. Zuo, M. Wang

The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires 178
D.B. Park, E.G. Kang, W.J. Nam

Design of mandrel in tube drawing process for automotive steering input shaft 182
S.W. Kim, Y.N. Kwon, Y.S. Lee, J.H. Lee

Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability 187
T. Yagami, K. Manabe, Y. Yamauchi

Numerical simulation of sheet metal drawing by Maslennikov's technique 192
M. Yamashita, T. Hattori, N. Nishimura

Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars 197
T.W. Ku, Y. Kim, B.S. Kang

Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets 202
C.S. Namoco Jr., T. Iizuka, K. Narita, N. Takakura, K. Yamaguchi

A run-out measuring method using modeling and simulation in four-fluted end milling 207
K.Y. Lee, H.M. Kim, S.S. Park

Effect of different thermal conductivity functions on temperature fields in FGM 212
Y. Dai, W. Tan, Q. Sun, Y.D. Li

Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables 215
K.O. Lee, Y.M. Hur, J.H. Kang, S.S. Kang

Springback variational principles of bending of straight beams with large deflection 220
B.L. Fu, Y.J. Chen, H.M. Liu

Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone 224
Rajesh S.R., H.S. Bang, W.S. Chang, H.J. Kim, H.S. Bang, C.I. Oh, J.S. Chu

Springback prediction for sheet metal forming based on GA-ANN technology 227
W. Liu, Q. Liu, F. Ruan, Z. Liang, H. Qiu

Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique 232
D.I. Kim, Y.-H. Huh, D.J. Kim, Y.H. Lee, C.D. Kee

Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes 236
T. Furushima, K. Manabe

A precision alignment method of micro tensile testing specimen using mechanical gripper 241
H.J. Lee, H.S. Choi, C.S. Han, N.K. Lee, G.A. Lee, T.H. Choi

Evaluation of milli-scale cylindrical cup in two-stage deep drawing process 245
K. Manabe, T. Shimizu, H. Koyama

A mechanistic model of cutting force in the micro end milling process 250
I.S. Kang, J.S. Kim, J.H. Kim, M.C. Kang, Y.W. Seo

Size effects of the cavity dimension on the microforming ability during coining process 256
C.J. Wang, D.B. Shan, J. Zhou, B. Guo, L.N. Sun

Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser 260
B.S. Shin, J.Y. Oh, H. Sohn

Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating 264
J.-J. Jung Wang, C.K. Chung, B.H. Wu, Y.Y. Liao

Binder system for STS 316 nanopowder feedstocks in micro-metal injection molding 270
S. Supriadi, E.R. Baek, C.J. Choi, B.T. Lee

Micro-EDM of sintered diamond 274
H. Nakaoku, T. Masuzawa, M. Fujino

FEM analysis of external inversion and energy absorbing characteristics of inverted tubes 279
Y.H. Luo, Z.W. Huang, X.L. Zhang

Evaluation of the crash energy absorption of hydroformed bumper stays 283
S.M. Sohn, B.J. Kim, K.S. Park, Y.H. Moon

FEA on deformation behavior of tailor-welded tube in hydroforming 287
G. Liu, S. Yuan, G. Chu

Study on forming limit and feasibility of tube axial compressive process 292
Z.C. Sun, H. Yang

Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy 296
B.J. Kim, C.J. Van Tyne, M.Y. Lee, Y.H. Moon

The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups 300
S.D. Zhao, Z.Y. Zhang, Y. Zhang, J.H. Yuan

The effect of the key process parameters in the innovative hydroforming on the formed parts 304
L. Lang, T. Li, X. Zhou, J. Danckert, K.B. Nielsen

Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet 309
J.M. Lee, D.C. Ko, K.S. Lee, B.M. Kim

The novel fabrication of multi-metal layers embedded in PMMA polymer material 314
C.H. Chien, H.M. Yu

Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing 318
P. Quang, Y.G. Jeong, S.C. Yoon, S.H. Hong, H.S. Kim

Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM 321
J.W. Park, S.S. Lee, B.S. So, Y.H. Jung, N. Kawasegi, N. Morita, D.W. Lee

Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques 326
S.W. Youn, M. Takahashi, H. Goto, R. Maeda

Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS) 331
S.G. Kim, W.S. Chu, W.K. Jung, S.H. Ahn

Investigation of viscosity properties for rheology forming of AM50A magnesium alloy 335
S.H. Han, C.G. Kang, J.H. Sung

Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process 339
X.M. Zhang, Z.Y. Jiang, L.M. Yang, X.H. Liu, G.D. Wang, A.K. Tieu

The grain size control of A356 aluminum alloy by horizontal electromagnetic stirring for rheology forging 344
C.G. Kang, J.W. Bae, B.M. Kim

Numerical simulation of AZ91D alloy automobile plug in pressure die casting process 349
H. Yan, W. Zhuang, Y. Hu, Q. Zhang, H. Jin

Novel thixoextrusion process for Al wrought alloys 354
S.K. Kim, Y.Y. Yoon, H.H. Jo

Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion 358
Y.K. Ko, J.S. Lee, H. Huh, H.K. Kim, S.H. Park

Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping 363
S.D. Zhao, L.J. Zhang, J. Lei, Z.W. Wang

Study on the method of parameterized meshing and its system realization 368
S.K. Xie, G.Q. Gui, J.H. Huang, H.L. Zheng

The simulation study of the linear mark generating process in the stretch reducing 373
Z.Q. Xu, F.S. Du, M.T. Wang

Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile 378
H.Y. Kim, H.Y. Jung, J.R. Cho, W.B. Bae

One-step FEM based control of weld line movement for tailor-welded blanks forming 383
B.T. Tang, Z. Zhao, S. Yu, J. Chen, X.Y. Ruan

Improvement of the surface quality of an automotive member by a modification of the stamping tool 387
S.-H. Kim

Analysis on temperature distribution in cross wedge rolling process with finite element method 392
F.Q. Ying, B.S. Pan

An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes 397
A.R. Khoei, M. Anahid, K. Shahim

Fast FE analysis system for sheet metal stamping—FASTAMP 402
D. Ting, L. Yuqi, Z. Zhibing, L. Zhigang

Prediction of birefringence distribution for optical glass lens 407
J.W. Na, S.H. Rhim, S.I. Oh

Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method 412
Y. Guan, G. Zhao, X. Wu, P. Lu

Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering 417
K.A. Khalil, S.W. Kim, N. Dharmaraj, K.W. Kim, H.Y. Kim

The effects of rare earth on the fracture properties of different metal–diamond composites 421
X.P. Xu, X.R. Tie, Y.Q. Yu

Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties 425
H.S. Lee, H.J. Kim, S.G. Kim, S.H. Ahn

Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite 429
G. Sasaki, W.G. Wang, Y. Hasegawa, Y.B. Choi, N. Fuyama, K. Matsugi, O. Yanagisawa

Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites 433
R. Rahmani Fard, F. Akhlaghi

On evaluation of CFRP composite laminates using ultrasonic with polarization direction 437
S.W. Ra, K.H. Im, I.Y. Yang

Analysis of acoustic characteristics according to design parameter of diaphragm 442
J.H. Kwon, S.M. Hwang

A study of dry coating process using zinc coated balls 447
J.-P. Hong, D.-K. Min, D.-T. Chung

Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis 453
F.X. Tan, M.Z. Li, Z.Y. Cai

Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis) 458
H.Y. Kim, C. Kim, W.B. Bae, S.M. Han

Prediction of blow forming profile of spherical titanium tank 463
J.H. Yoon, H.S. Lee, Y.M. Yi, Y.S. Jang

Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave..... 467
H.J. Shin, Y.T. Yoo, D.G. Ahn, K. Im

The analyse on the process of multi-point forming for dish head..... 471
Z.R. Qian, M.Z. Li, F.X. Tan

Study on varying curvature push-bending technique of rectangular section tube..... 476
X.T. Xiao, Y.J. Liao, Y.S. Sun, Z.R. Zhang, Yu. P. Kerdeyev, R.I. Neperish

Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs..... 480
D. Shan, W. Xu, C. Si, Y. Lu

3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning 486
M. Zhan, H. Yang, J.H. Zhang, Y.L. Xu, F. Ma

Study on processs and impact strength for a rotationally molded truck fender 492
Y. Li, J.C. Liang, W. Zhang, W. Qi, M. Su, C.D. Liu

Swaging process of power steering hose: Its finite element analysis considering the stress relaxation..... 497
J.R. Cho, J.I. Song

The interactive effects of wrinkling and other defects in thin-walled tube NC bending process..... 502
H. Li, H. Yang, M. Zhan, R.J. Gu

Roll casting of wire inserted aluminum alloy strip 508
T. Haga, K. Takahashi, H. Inui, H. Sakaguchi, H. Watari, S. Kumai

Experimental and numerical analyses of explosive free forming 512
S.A.A. Akbari Mousavi, M. Riahi, A. Hagh Parast

Study of blank-holder technology on multi-point forming of thin sheet metal 517
G. Sun, M.Z. Li, X.P. Yan, P.P. Zhong

Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures 521
D.G. Ahn, S.H. Lee, C.G. Jung, G.Y. Hahn, D.Y. Yang

A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade..... 526
H.-S. Lee, J.-H. Yoon, C.H. Park, Y.G. Ko, D.H. Shin, C.S. Lee

Influence of preform preparation condition on infiltration of molten aluminum 530
T. Yamanaka, Y.B. Choi, K. Matsugi, O. Yanagisawa, G. Sasaki

Deformation behavior of Al–Mg–Si alloy at the elevated temperature 533
Y.-N. Kwon, Y.S. Lee, J.H. Lee

Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue 537
J.H. Park, J.S. Kim, K.H. Lee

Formation of shear texture components during hot rolling of AA 1050..... 542
C.G. Kang, H.G. Kang, H.C. Kim, M.Y. Huh, H.G. Suk

Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets 546
J.E. Lee, D.H. Bae, W.S. Chung, K.H. Kim, J.H. Lee, Y.R. Cho

An internal variable approach to high temperature deformation and superplasticity of Mg alloys 550
H.S. Lee, J.S. Park, Y.W. Chang

High temperature bending fatigue behavior of stainless steels for automotive exhaust..... 555
T.K. Ha, H.T. Jeong, H.J. Sung

Texture development in a warm rolled AZ31 magnesium alloy..... 559
H.T. Jeong, T.K. Ha

The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation..... 562
G.W. Jia, L. Hua, H.J. Mao

Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings..... 566
E.Y. Choi, M.C. Kang, D.H. Kwon, D.W. Shin, K.H. Kim

The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition..... 571
S. Abraham, J.T. Ok, K.H. Kim

Strain rate dependence of deformation behavior of high-nitrogen austenitic steels..... 575
Y.-S. Kim, S.M. Nam, S.-J. Kim

Texture evolution of rolled AA5052 alloy sheets after annealing..... 578
K.J. Kim, H.-T. Jeong, K.S. Shin, C.-W. Kim

Near net shape forming process of a titanium alloy impeller 582
K. Shi, D.B. Shan, W.C. Xu, Y. Lu

Process analysis of multistage forging by using finite element method 586
K.S. Park, C.J. VanTyne, Y.H. Moon

Research on deformation and microstructure evolution during forging of large-scale parts 591
F.S. Du, M.T. Wang, X.T. Li

Preform design for precision forging of an asymmetric rib-web type component 595
J.J. Park, H.S. Hwang

Study on a new technological scheme for cold forging of spur gears 600
C. Hu, K. Wang, Q. Liu

A study on cold forging process sequence design of terminal pins for high-voltage capacitors 604
H.S. Kim

Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot 609
K. Park, Y.S. Kim, C.S. Kim, H.J. Park

Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering 614
J.L. Song, Y.T. Li, Q.L. Deng, D.J. Hu

Functional prototype development of multi-layer board (MLB) using rapid prototyping technology 619
Y.G. Im, B.H. Cho, S.H. Seo, J.H. Son, S.I. Chung, H.D. Jeong

Generation and optimization of slice profile data in rapid prototyping and manufacturing 623
P. Haipeng, Z. Tianrui

Measurement of anisotropic compressive strength of rapid prototyping parts 627
C.S. Lee, S.G. Kim, H.J. Kim, S.H. Ahn

Friction analysis of microcosmic elastic-plastic contact for extrusion forming 631
L.G. Wang, X.P. Sun, Y. Huang

Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy 635
J.H. Kim, J.H. Kim, J.T. Yeom, D.-G. Lee, S.G. Lim, N.K. Park

Reciprocating extrusion of rapidly solidified Mg–6Zn–1Y–0.6Ce–0.6Zr alloy 640
X.F. Guo, D. Shechtman

Fabrication of micro condenser tube through direct extrusion 645
H. Cho, D.-Y. Hwang, B.-S. Lee, H.-H. Jo

The study of cup-rod combined extrusion processes of magnesium alloy (AZ61A) 649
Y. Hu, Z. Lai, Y. Zhang

Fabrication and characterization of Ti–Cu clad materials by indirect extrusion 653
J.S. Lee, H.T. Son, I.H. Oh, C.S. Kang, C.H. Yun, S.C. Lim, H.C. Kwon

Investigations on the effects of ultrasonic vibrations in the extrusion process 657
S.A.A. Akbari Mousavi, H. Feizi, R. Madoliat

Overview of adaptable die design for extrusions 662
W.A. Gordon, C.J. Van Tyne, Y.H. Moon

Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts 668
M.C. Song, Z. Liu, M.J. Wang, T.M. Yu, D.Y. Zhao

A yield function for copper powder in compaction 672
J.J. Park

Adaptive adjustment of plastic injection processes based on neural network 676
X.P. Liao, H.M. Xie, Y.J. Zhou, W. Xia

A three-invariant cap plasticity model with kinematic hardening rule for powder materials 680
A.R. Khoei, H. DorMohammadi, A.R. Azami

Analysis of diffusion mechanism between gas and melt in gas-assisted injection molding 685
J.C. Liang, Y. Li, D.H. Zhou, Z.R. Li, W. Zhang

Adaptive system for electrically driven thermoregulation of moulds for injection moulding 690
B. Nardin, B. Žagar, A. Glojek, D. Križaj

Deformation and strengthening of sintered ferrous material 694
X.P. Qin, L. Hua

Robust optimization based on knowledge discovery from metal forming simulation 698
J. Hu, Y. Peng, D. Li, J. Yin

Prediction of curvatures of parts extruded through rotary die using fuzzy inference 702
M. Shiraishi, M. Nikawa, T. Kubota, Y. Goto

Optimization with different methods for material processing parameters 706
K.-F. Xie, T.-R. Zhou

Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies 711
H. Zarepour, A. Fadaei Tehrani, D. Karimi, S. Amini

Application of fuzzy control of laminar cooling for hot rolled strip 715
H.B. Xie, Z.Y. Jiang, X.H. Liu, G.D. Wang, A.K. Tieu, M. Yang, K. Manabe

Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape 720
K.S. Park, B.J. Kim, Y.H. Moon

Three dimensional numerical analyses of asymmetric rolling 725
S.A.A. Akbari Mousavi, S.M. Ebrahimi, R. Madoliat

Development of the profile ring rolling process for large slewing rings of alloy steels 730
K.H. Kim, H.G. Suk, M.Y. Huh

Investigation of distribution of plastic zone in the process of plastic penetration 734
D.S. Qian, L. Hua, Z.J. Zuo

Design of sizing press anvil for decrease of defect in hot strip 738
D.C. Ko, S.H. Lee, D.H. Kim, S.M. Byon, H.D. Park, B.M. Kim

Research on following motion rule of guide roller in cold rolling groove ball ring 743
L. Hua, Z.J. Zuo, J. Lan, D.S. Qian

Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy 747
J.T. Yeom, J.H. Kim, N.K. Park, S.S. Choi, C.S. Lee

Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling 752
X. Shu, C. Li, J. Zhao, Z. Hu

Development of AZ31 Mg alloy wrought process route without protective gas 757
S.K. Kim, J.-K. Lee, Y.-O. Yoon, H.-H. Jo

Improving the properties of forged magnesium parts by optimized process parameters 761
B.-A. Behrens, I. Schmidt

Flow softening behavior during high temperature deformation of AZ31Mg alloy 766
B.H. Lee, N.S. Reddy, J.T. Yeom, C.S. Lee

A study of flow-through phenomenon in the press forging of magnesium-alloy sheets 770
F.-K. Chen, T.-B. Huang, S.-J. Wang

Severe plastic deformation of the magnesium alloy AZ31 775
K. Mueller, S. Mueller

Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation 780
J.G. Niu, X. Zhang, Z.M. Zhang, B.C. Li

Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper 783
E.S. Park, H.G. Kang, J.C. Lee, M.Y. Huh, H.J. Kim, J.C. Bae

Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model 786
Y.S. Na, J.H. Lee

Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium 791
L.Y. Zhang, Z.J. Zhan, Y.Z. Jia, W.K. Wang, B.D. Zhou

Characterization of inelastic deformation in metallic glass using instrumented indentation 794
Y.-H. Lee, J.-Y. Kim, J.-S. Park, S.-H. Nahm, D. Kwon

Evolution of temperature gradients during rolling of $Cu_{54}Ni_6Zr_{22}Ti_{18}$ bulk metallic glass in the super cooled liquid region 798
H.J. Kim, J.C. Bae, E.S. Park, J.C. Lee, M.Y. Huh, D.H. Kim

Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering 801
J.K. Lee, H.J. Kim, T.S. Kim, S.Y. Shin, Y.C. Kim, J.C. Bae

Author index 805

Subject index 808

Kang, E.G., 178
Kang, H.G., 542, 783
Kang, I.S., 250
Kang, J.H., 14, 215
Kang, M.C., 250, 566
Kang, S.S., 14, 215
Kanlayasiri, K., 26
Karimi, D., 711
Kawasegi, N., 321
Ke, Y.L., 69
Kee, C.D., 232
Kerdeyev, Yu.P., 476
Khalil, K.A., 417
Khoei, A.R., 397, 680
Kim, B.J., 283, 296, 720
Kim, B.M., 99, 155, 309, 344, 738
Kim, B.S., 30
Kim, C., 458
Kim, C.S., 609
Kim, C.-W., 578
Kim, D.H., 738, 798
Kim, D.I., 232
Kim, D.J., 232
Kim, E.S., 155
Kim, G.H., 65
Kim, H.C., 51, 542
Kim, H.J., 73, 224, 425, 627, 783, 798, 801
Kim, H.K., 358
Kim, H.M., 207
Kim, H.S., 46, 318, 604
Kim, H.Y., 378, 417, 458
Kim, J.H., 250, 635, 747
Kim, J.S., 250, 537
Kim, J.-Y., 794
Kim, K.H., 546, 566, 571, 730
Kim, K.J., 578
Kim, K.W., 417
Kim, M.C., 103
Kim, S.G., 331, 425, 627
Kim, S.H., 123
Kim, S.-H., 387
Kim, S.-J., 575
Kim, S.K., 354, 757
Kim, S.W., 103, 182, 417
Kim, T.S., 801
Kim, Y., 197
Kim, Y.C., 801
Kim, Y.-S., 575
Kim, Y.S., 609
Kim, Y.-T., 89
Kita, Y., 81
Ko, D.C., 309, 738
Ko, S.L., 19
Ko, Y.G., 526
Ko, Y.K., 358
Koyama, H., 245
Križaj, D., 690
Ku, T.W., 197
Kubota, T., 702
Kueper, A., 6
Kumai, S., 508
Kurfess, T.R., 2
Kwon, D., 794
Kwon, D.H., 566
Kwon, H.C., 653
Kwon, J.H., 442
Kwon, Y.N., 103, 182
Kwon, Y.-N., 533
Lai, Z., 649
Lan, J., 743
Lang, L., 304
Lee, B.H., 766
Lee, B.-S., 645
Lee, B.T., 270
Lee, C.S., 526, 627, 747, 766
Lee, C.W., 30
Lee, D.-G., 635
Lee, D.W., 37, 321
Lee, G.A., 241
Lee, H.J., 241
Lee, H.-J., 56
Lee, H.S., 425, 463
Lee, H.-S., 526
Lee, H.S., 550
Lee, J.C., 783, 798
Lee, J.E., 546
Lee, J.H., 103, 182, 533, 546, 786
Lee, J.-K., 757
Lee, J.K., 801
Lee, J.M., 309
Lee, J.N., 10
Lee, J.S., 358, 653
Lee, K.H., 537
Lee, K.O., 14, 215
Lee, K.S., 136, 309
Lee, K.Y., 207
Lee, K.-Y., 56
Lee, M.G., 30
Lee, M.Y., 296
Lee, N.K., 241
Lee, R.S., 10
Lee, S.H., 30, 51, 521, 738
Lee, S.S., 321
Lee, S.-W., 89
Lee, Y.H., 232
Lee, Y.-H., 794
Lee, Y.S., 103, 182, 533
Lei, J., 363
Li, B.C., 780
Li, C., 752
Li, D., 698
Li, H., 502
Li, M.Z., 453, 471, 517
Li, T., 304
Li, X.T., 591
Li, Y., 492, 685
Li, Y.D., 212
Li, Y.T., 614
Li, Z.R., 685
Liang, J.C., 492, 685
Liang, Z., 227
Liao, X.P., 676
Liao, Y.J., 476
Liao, Y.Y., 264
Lim, S.C., 653
Lim, S.G., 635
Liu, C.D., 492
Liu, G., 287
Liu, H.M., 220
Liu, Q., 140, 159, 227, 600
Liu, W., 159, 227
Liu, X.H., 339, 715
Liu, Z., 668
Liu, Z.J., 113
Lu, P., 412
Lu, Y., 480, 582
Luo, Y.H., 279

Ma, F., 486
Madoliat, R., 657, 725
Maeda, R., 326
Manabe, K., 187, 236, 245, 715
Mao, H.J., 562
Masuzawa, T., 274
Matsugi, K., 429, 530
Min, D.-K., 447
Mishima, S., 77
Moon, Y.-H., 1
Moon, Y.H., 283, 296, 586, 662, 720
Morita, N., 321
Mueller, K., 775
Mueller, S., 775

Na, J.W., 407
Na, Y.S., 786
Nahm, S.-H., 794
Nakaoku, H., 274
Nam, S.M., 575
Nam, W.J., 178
Namoco Jr., C.S., 202
Nardin, B., 690
Narita, K., 202
Neperish, R.I., 476
Ni, J., 30
Nielsen, K.B., 304
Nikawa, M., 702
Nishimura, N., 192
Niu, J.G., 780

Oh, C.I., 224
Oh, G.H., 85
Oh, I.H., 653
Oh, J.Y., 260
Oh, S.I., 407
Ok, J.T., 571
Okada, A., 77

Pan, B.S., 392
Park, C.D., 99
Park, C.H., 526
Park, D.B., 178
Park, E.S., 783, 798
Park, H.D., 738
Park, H.J., 609
Park, J.H., 85, 537
Park, J.I., 19
Park, J.J., 595, 672
Park, J.S., 550
Park, J.-S., 794
Park, J.W., 37, 321
Park, K., 609
Park, K.H., 73
Park, K.S., 283, 586, 720
Park, N.K., 635, 747
Park, S.G., 136
Park, S.H., 123, 358
Park, S.S., 207
Park, S.-S., 56
Park, S.W., 85
Peng, Y., 698

Qi, W., 492
Qian, D.S., 734, 743
Qian, Z.R., 471

Qin, X.P., 694
Qiu, H., 140, 159, 227
Qiu, X.G., 128
Quang, P., 46, 318

Ra, S.W., 437
Raharjo, P., 77
Rahmani Fard, R., 433
Rajesh, S.R., 224
Reddy, N.S., 766
Rhim, S.H., 407
Riahi, M., 512
Ruan, F., 159, 227
Ruan, J.K., 69
Ruan, X.Y., 383

Sakaguchi, H., 508
Sano, S., 77
Sasaki, G., 429, 530
Schmidt, I., 761
Seo, S.H., 619
Seo, Y.W., 250
Shahim, K., 397
Shan, D., 480
Shan, D.B., 256, 582
She, C.-H., 60
Shechtman, D., 640
Sheu, J.J., 150
Shi, K., 582
Shimizu, T., 245
Shin, B.S., 260
Shin, D.H., 526
Shin, D.W., 566
Shin, H.J., 467
Shin, K.S., 578
Shin, S.Y., 801
Shiraishi, M., 702
Shu, X., 752
Si, C., 480
So, B.S., 2, 37, 321
Sohn, H., 260
Sohn, S.M., 283
Son, H.T., 653
Son, J.H., 619
Song, J.H., 123
Song, J.I., 497
Song, J.L., 614
Song, J.Y., 30
Song, M.C., 668
Su, M., 492
Suk, H.G., 542, 730
Sun, G., 517
Sun, L.N., 256
Sun, Q., 212
Sun, X.P., 631
Sun, Y.S., 476
Sun, Z.C., 292
Sun, Z.Z., 132, 145
Sung, H.J., 555
Sung, J.H., 335
Supriadi, S., 270

Takahashi, K., 508
Takahashi, M., 326
Takakura, N., 202
Tan, F.X., 453, 471
Tan, W., 212
Tang, B.T., 383
Tianrui, Z., 623
Tie, X.R., 421
Tieu, A.K., 339, 715
Ting, D., 402

Uemura, K., 77
Uno, Y., 77

Van Tyne, C.J., 164, 296, 662
VanTyne, C.J., 586

Wang, C.J., 256
Wang, G.D., 339, 715
Wang, K., 600
Wang, L.G., 631
Wang, M., 173
Wang, M.J., 668
Wang, M.T., 373, 591
Wang, S.-J., 770
Wang, W.G., 429
Wang, W.K., 791
Wang, Z.W., 363
Watari, H., 508
Wu, B.H., 264
Wu, X., 81, 412

Xia, W., 676
Xiao, X.T., 476
Xie, H.B., 715
Xie, H.M., 676
Xie, K.-F., 706
Xie, S.K., 368
Xie, X., 169
Xu, W., 480
Xu, W.C., 582
Xu, X.P., 421
Xu, Y.L., 486
Xu, Z.Q., 373
Xuedao, S., 41

Yagami, T., 187
Yamaguchi, K., 202
Yamanaka, T., 530
Yamashita, M., 192
Yamauchi, Y., 187
Yan, H., 349
Yan, X.P., 517
Yanagisawa, O., 429, 530
Yang, D.Y., 51, 521
Yang, H., 292, 486, 502
Yang, I.Y., 136, 437
Yang, L.M., 339
Yang, M., 715
Yang, Y.Y., 132, 145
Yeo, H.T., 85
Yeom, J.T., 635, 747, 766
Yi, Y.M., 463
Yin, J., 698
Ying, F.Q., 392
Yoo, Y.T., 467
Yoon, J.H., 463
Yoon, J.-H., 526
Yoon, S.C., 46, 318
Yoon, Y.-O., 757
Yoon, Y.Y., 354
Youn, S.W., 326
Yu, H.M., 314
Yu, S., 169, 383
Yu, T.M., 668
Yu, Y.Q., 421
Yu, Z., 77
Yuan, J.H., 300
Yuan, S., 287
Yun, C.H., 653
Yuqi, L., 402

Žagar, B., 690
Zarepour, H., 711
Zhan, M., 486, 502
Zhan, Z.J., 791
Zhang, J., 169
Zhang, J.H., 486
Zhang, L.J., 363
Zhang, L.Y., 791
Zhang, Q., 349
Zhang, W., 492, 685
Zhang, X., 780
Zhang, X.L., 279
Zhang, X.M., 339
Zhang, Y., 300, 649
Zhang, Z.M., 780
Zhang, Z.R., 476
Zhang, Z.Y., 300
Zhao, D.Y., 668
Zhao, G., 412
Zhao, J., 752
Zhao, L.H., 132, 145
Zhao, S.D., 300, 363
Zhao, Z., 169, 383
Zheng, H.L., 368
Zhenghuan, Hu., 41
Zhibing, Z., 402
Zhigang, L., 402
Zhong, P.P., 517
Zhou, B.D., 791
Zhou, D.H., 685
Zhou, J., 256
Zhou, T.-R., 706
Zhou, X., 304
Zhou, Y.J., 676
Zhuang, W., 349
Zuo, D.W., 173
Zuo, Z.J., 734, 743

ELSEVIER

Journal of Materials Processing Technology 187–188 (2007) 808–824

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volumes 187–188

AA5052 sheet
Texture evolution of rolled AA5052 alloy sheets after annealing, 578
Acoustic emission (AE)
Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue, 537
Adaptive adjustment
Adaptive adjustment of plastic injection processes based on neural network, 676
Adaptive control
Application of fuzzy control of laminar cooling for hot rolled strip, 715
Adiabatic boundary
Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping, 363
Aging
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Air gun
A study of dry coating process using zinc coated balls, 447
Al/SiC composites
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Al_3Sc
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635
ALE model
An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes, 397
3003Al alloy
Fabrication of micro condenser tube through direct extrusion, 645
Al–Mg–Si alloy
Deformation behavior of Al–Mg–Si alloy at the elevated temperature, 533
Aluminium-alloy hatch
Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs, 480
Aluminum alloy
The effect of the key process parameters in the innovative hydroforming on the formed parts, 304
Influence of preform preparation condition on infiltration of molten aluminum, 530
Formation of shear texture components during hot rolling of AA 1050, 542
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635
Aluminum borate whisker
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Al–Zn–Mg
Novel thixoextrusion process for Al wrought alloys, 354
Al–Zn–Mg–Cu
Novel thixoextrusion process for Al wrought alloys, 354
Amplitude
On evaluation of CFRP composite laminates using ultrasonic with polarization direction, 437
Analysis of variance
An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel, 26
Angular velocity ratio
Three dimensional numerical analyses of asymmetric rolling, 725
Anisotropy
Texture evolution of rolled AA5052 alloy sheets after annealing, 578
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Annealing
Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets, 546
Anti-coupled equations
Springback variational principles of bending of straight beams with large deflection, 220
Anvil
Design of sizing press anvil for decrease of defect in hot strip, 738
Arc ion plating
Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings, 566
Artificial neural networks
Adaptive adjustment of plastic injection processes based on neural network, 676
Optimization with different methods for material processing parameters, 706
Asymmetric rolling
Three dimensional numerical analyses of asymmetric rolling, 725
Atomic force microscope (AFM)
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nano-lithography with diamond tip cantilevers based on AFM, 321
Auto panel dies
Research on rapid repairing techniques for auto panel dies, 69
Automobile exterior door panel
A numerical and experimental study of surface deflections in automobile exterior panels, 99
Automobile structure-piece
Study on multi-stage sheet metal forming for automobile structure-pieces, 113
Automotive exhaust
High temperature bending fatigue behavior of stainless steels for automotive exhaust, 555
Automotive transmission
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Axial pushing effect
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300

Elsevier B.V.
doi:10.1016/S0924-0136(07)00197-5

Axial ultrasonic vibration extrusion
Investigations on the effects of ultrasonic vibrations in the extrusion process, 657
5-Axis
5-Axis machining speed enhancement by step length optimization, 2
AZ31
Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming, 103
AZ31 magnesium-alloy sheet
A study of flow-through phenomenon in the press forging of magnesium-alloy sheets, 770
AZ31 Mg alloy
Development of AZ31 Mg alloy wrought process route without protective gas, 757
Flow softening behavior during high temperature deformation of AZ31Mg alloy, 766
AZ61 magnesium alloy
Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation, 780
AZ91D magnesium alloy
Numerical simulation of AZ91D alloy automobile plug in pressure die casting process, 349

Ball groove
Process analysis of multistage forging by using finite element method, 586
Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape, 720
Ball impact
A study of dry coating process using zinc coated balls, 447
Ball type wheel
New polishing technology of free form surface by GC, 81
Basic grid model
Study on the method of parameterized meshing and its system realization, 368
Bending
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Bending control
Prediction of curvatures of parts extruded through rotary die using fuzzy inference, 702
Bending fatigue
High temperature bending fatigue behavior of stainless steels for automotive exhaust, 555
Bi-arc surface model
The blank design and spring back control of a stamping die by using the bi-arc surface model, 150
Binder system
Binder system for STS 316 nanopowder feedstocks in micro-metal injection molding, 270
Bioceramics
Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering, 417
Bipolar plate
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Birefringence
Prediction of birefringence distribution for optical glass lens, 407
Blank holder control
Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability, 187
Blanking process
Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes, 169
Bonding strength
Fabrication and characterization of Ti–Cu clad materials by indirect extrusion, 653
Boron content
The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition, 571
Boss
Prediction of blow forming profile of spherical titanium tank, 463
Box-Behnken design
Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process, 123
Bulk metallic glass
Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model, 786
Characterization of inelastic deformation in metallic glass using instrumented indentation, 794
Bulk metallic glass (BMG)
Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper, 783
Evolution of temperature gradients during rolling of $Cu_{54}Ni_6Zr_{22}Ti_{18}$ bulk metallic glass in the super cooled liquid region, 798
Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering, 801
Bumper beam
Evaluation of the crash energy absorption of hydroformed bumper stays, 283
Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy, 296
Bumper stay
Evaluation of the crash energy absorption of hydroformed bumper stays, 283
Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy, 296

CAD
Computer aided design for cross wedge rolling tools of automobile semi-axes, 41
CAD/CAM
5-Axis machining speed enhancement by step length optimization, 2
Five-axis machining time estimation algorithm based on machine characteristics, 37
CAD/CAM/CAE
Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot, 609
Cantilever
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM, 321
CaO
Development of AZ31 Mg alloy wrought process route without protective gas, 757
Cap model
A three-invariant cap plasticity model with kinematic hardening rule for powder materials, 680
Capacitance gauge
A study on optical device alignment system using ultra precision multi-axis stage, 65
Carbon nanotubes
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Caulking
An experimental study on improvement of joining strength of the spin drum seaming division in washing machine, 155
Cellular bubble blemish
Analysis of diffusion mechanism between gas and melt in gas-assisted injection molding, 685
CFRP member
The axial collapse characteristics of hat shaped section members in a vehicle, 136
Clad material
Fabrication and characterization of Ti–Cu clad materials by indirect extrusion, 653

Clad sheet
Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets, 546
Closed-die forging
Study on a new technological scheme for cold forging of spur gears, 600
Coated steel sheet
Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet, 309
Coefficient of friction (COF)
Press forming using ultrasonic vibration, 118
Coiling temperature
Application of fuzzy control of laminar cooling for hot rolled strip, 715
Coining
Size effects of the cavity dimension on the microforming ability during coining process, 256
Cold extrusion process
A study of dry coating process using zinc coated balls, 447
Cold forging
Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting, 14
Cold forging process sequence
A study on cold forging process sequence design of terminal pins for high-voltage capacitors, 604
Cold ring-rolling
Research on following motion rule of guide roller in cold rolling groove ball ring, 743
Collapse mode
The axial collapse characteristics of hat shaped section members in a vehicle, 136
Complete pole figure
Texture development in a warm rolled AZ31 magnesium alloy, 559
Composite
Influence of preform preparation condition on infiltration of molten aluminum, 530
Composite materials
On evaluation of CFRP composite laminates using ultrasonic with polarization direction, 437
Compound layer
Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets, 546
Compressive strength
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Condenser tube
Fabrication of micro condenser tube through direct extrusion, 645
Condition of plastic penetration
Investigation of distribution of plastic zone in the process of plastic penetration, 734
Conditioning process
Effects of pad properties on material removal in chemical mechanical polishing, 73
Cone spinning
3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning, 486
Conical end mill
Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam, 10
Consolidation
Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering, 801
Contact normal pressure
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Contact pressure
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Contact stress
Three dimensional numerical analyses of asymmetric rolling, 725
Conventional extrusion
Investigations on the effects of ultrasonic vibrations in the extrusion process, 657
Copper
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Copper and aluminum
Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets, 546
Core
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Corrosion resistance
A new polishing method of metal mold with large-area electron beam irradiation, 77
Cranial prosthesis
Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis, 453
Crash energy
Evaluation of the crash energy absorption of hydroformed bumper stays, 283
Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy, 296
Cr–C–N
Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings, 566
Crimping angle
Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures, 521
Critical extrusion speed
Investigations on the effects of ultrasonic vibrations in the extrusion process, 657
Cr–Mo–N
Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings, 566
Cropping
Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping, 363
Cross wedge rolling
Analysis on temperature distribution in cross wedge rolling process with finite element method, 392
Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling, 752
Cup geometry
Evaluation of milli-scale cylindrical cup in two-stage deep drawing process, 245
Cup-rod combined extrusion
The study of cup-rod combined extrusion processes of magnesium alloy (AZ61A), 649
Curvature
A numerical and experimental study of surface deflections in automobile exterior panels, 99
Three dimensional numerical analyses of asymmetric rolling, 725
Cutting edge radius
A mechanistic model of cutting force in the micro end milling process, 250
Cutting force
A run-out measuring method using modeling and simulation in four-fluted end milling, 207
A mechanistic model of cutting force in the micro end milling process, 250
CV joint
Process analysis of multistage forging by using finite element method, 586
Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape, 720

Cylindrical cup
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300
Cylindrical shallow shell
Experimental research on the stiffness of cylindrical shallow shell, 132
Study on mechanism of cylindrical shallow shell surface deflection, 145

3D curved surface
Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis, 453
3D FEM
3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning, 486
3D printer system
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Damage detection
A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system, 30
Damaged layer
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM, 321
DC53 die steel
An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel, 26
Deburring
Micro deburring for precision parts using magnetic abrasive finishing method, 19
Deep drawing
Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming, 103
Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability, 187
Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets, 202
Evaluation of milli-scale cylindrical cup in two-stage deep drawing process, 245
Defects
The interactive effects of wrinkling and other defects in thin-walled tube NC bending process, 502
Deflection
Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique, 232
Defocusing technology
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467
Deformation
Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering, 801
Deformation characteristics
Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures, 521
Deformation map
Deformation behavior of Al–Mg–Si alloy at the elevated temperature, 533
Delamination
The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires, 178
Densification
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Diamond
Micro-EDM of sintered diamond, 274
The effects of rare earth on the fracture properties of different metal–diamond composites, 421
Diamond tip
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM, 321
Diaphragm
Analysis of acoustic characteristics according to design parameter of diaphragm, 442
Dicing
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Die
New polishing technology of free form surface by GC, 81
Die corner angle
Die design for homogeneous plastic deformation during equal channel angular pressing, 46
Die design
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Overview of adaptable die design for extrusions, 662
Diffusion bonding
Prediction of blow forming profile of spherical titanium tank, 463
A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade, 526
Diffusion mechanism
Analysis of diffusion mechanism between gas and melt in gas-assisted injection molding, 685
Digital repair
Research on rapid repairing techniques for auto panel dies, 69
Direct extrusion
Fabrication of micro condenser tube through direct extrusion, 645
Dish head
The analyse on the process of multi-point forming for dish head, 471
Dog-bone
Design of sizing press anvil for decrease of defect in hot strip, 738
Downward melt drag twin roll caster
Roll casting of wire inserted aluminum alloy strip, 508
Drawability
Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability, 187
Draw-bead restraining force
Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process, 123
Dry zinc coating process
A study of dry coating process using zinc coated balls, 447
DSC
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635
Ductile fracture
Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes, 169
Design of mandrel in tube drawing process for automotive steering input shaft, 182
Ductile fracture criterion
Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion, 358
Dust seal
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Dynamic recrystallization
Flow softening behavior during high temperature deformation of AZ31Mg alloy, 766

Eccentric press
Investigation of deviations of the lock-position of dies due to unsteady thermal conditions, 6
Eco-friendly refrigerants
Fabrication of micro condenser tube through direct extrusion, 645

EDM
A new polishing method of metal mold with large-area electron beam irradiation, 77
Micro-EDM of sintered diamond, 274
Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies, 711
Elastic deformation
Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting, 14
Elastic-plastic contact
Friction analysis of microcosmic elastic-plastic contact for extrusion forming, 631
Electric conductivity
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Electrode wear
Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies, 711
Electromagnetic inductor
Micro deburring for precision parts using magnetic abrasive finishing method, 19
Electromagnetic shielding
Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS), 331
Electromagnetic stirring
The grain size control of A356 aluminum alloy by horizontal electromagnetic stirring for rheology forging, 344
Electron beam
A new polishing method of metal mold with large-area electron beam irradiation, 77
Embossing
Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets, 202
Embossment
A study of flow-through phenomenon in the press forging of magnesium-alloy sheets, 770
Endurance limit
High temperature bending fatigue behavior of stainless steels for automotive exhaust, 555
Energy absorber
FEM analysis of external inversion and energy absorbing characteristics of inverted tubes, 279
Energy absorption capability
The axial collapse characteristics of hat shaped section members in a vehicle, 136
Engine hood panel
The study of engine hood panel forming based on numerical simulation technology, 140
Engineering optimization
Optimization with different methods for material processing parameters, 706
Equal channel angular pressing
Die design for homogeneous plastic deformation during equal channel angular pressing, 46
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Eximer laser
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Experiment modeling
Adaptive adjustment of plastic injection processes based on neural network, 676
Experimental work
FEM analysis of external inversion and energy absorbing characteristics of inverted tubes, 279
Experiments
The study of cup-rod combined extrusion processes of magnesium alloy (AZ61A), 649
Explosive forming
Experimental and numerical analyses of explosive free forming, 512
External inversion
FEM analysis of external inversion and energy absorbing characteristics of inverted tubes, 279
Extruded aluminum profile
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Extrusion
Overview of adaptable die design for extrusions, 662
Prediction of curvatures of parts extruded through rotary die using fuzzy inference, 702
Severe plastic deformation of the magnesium alloy AZ31, 775
Extrusion forming
Friction analysis of microcosmic elastic-plastic contact for extrusion forming, 631
Extrusion temperature
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Extrusion zone
Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone, 224

Failure map
Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures, 521
FASTAMP
Fast FE analysis system for sheet metal stamping—FASTAMP, 402
Fatigue crack initiation
The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation, 562
FE analysis
Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars, 197
FE simulation
Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet, 309
Feature extraction
Research on rapid repairing techniques for auto panel dies, 69
Feed angle
5-Axis machining speed enhancement by step length optimization, 2
Five-axis machining time estimation algorithm based on machine characteristics, 37
FEM
Design of mandrel in tube drawing process for automotive steering input shaft, 182
FEM analysis of external inversion and energy absorbing characteristics of inverted tubes, 279
Finite element analysis and experimental confirmation of warm hydroforming process for aluminum alloy, 296
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Analysis on temperature distribution in cross wedge rolling process with finite element method, 392
Preform design for precision forging of an asymmetric rib-web type component, 595
FEM analysis
Research on rapid repairing techniques for auto panel dies, 69
Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy, 747
FEM simulation
Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process, 339

Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs, 480
Near net shape forming process of a titanium alloy impeller, 582
FEM simulations
Adaptive system for electrically driven thermoregulation of moulds for injection moulding, 690
Femto-second laser
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Ferritic stainless steel
High temperature bending fatigue behavior of stainless steels for automotive exhaust, 555
FE-simulation
Design of sizing press anvil for decrease of defect in hot strip, 738
Fiber-reinforced composite
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Field search
A study on optical device alignment system using ultra precision multi-axis stage, 65
Film materials
Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique, 232
Finite element
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300
Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping, 363
Finite element analysis
Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting, 14
Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion, 358
Swaging process of power steering hose: Its finite element analysis considering the stress relaxation, 497
Development of the profile ring rolling process for large slewing rings of alloy steels, 730
Investigation of distribution of plastic zone in the process of plastic penetration, 734
Finite element approach
Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone, 224
Finite element method
Die design for homogeneous plastic deformation during equal channel angular pressing, 46
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Formation of shear texture components during hot rolling of AA 1050, 542
Process analysis of multistage forging by using finite element method, 586
Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling, 752
Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper, 783
Finite element method (FEM)
Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels, 173
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Investigations on the effects of ultrasonic vibrations in the extrusion process, 657
Evolution of temperature gradients during rolling of $Cu_{54}Ni_6Zr_{22}Ti_{18}$ bulk metallic glass in the super cooled liquid region, 798
Finite element method model
Study on the method of parameterized meshing and its system realization, 368
Finite element program
A study of dry coating process using zinc coated balls, 447
Finite element simulation
Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes, 169
Finite elements method
Flow softening behavior during high temperature deformation of AZ31Mg alloy, 766
First resonance frequency
Analysis of acoustic characteristics according to design parameter of diaphragm, 442
Fitting load
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Five-axis
Five-axis machining time estimation algorithm based on machine characteristics, 37
Five-axis machining
Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam, 10
Development of a five-axis postprocessor system with a nutating head, 60
Fiver inserted composite
Roll casting of wire inserted aluminum alloy strip, 508
Flange drawing
A study on the springback in the sheet metal flange drawing, 89
Flanging
Optimum design of trimming line by one-step analysis for auto body parts, 108
FLD
Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming, 103
Flexible blank-holder
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Flexure
A study on optical device alignment system using ultra precision multi-axis stage, 65
Flow field
Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process, 339
Flow instability
Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy, 747
Flow rules
A yield function for copper powder in compaction, 672
Flow-through
A study of flow-through phenomenon in the press forging of magnesium-alloy sheets, 770
Fly-cutting
A study on manufacturing technology for an inclined polygon mirror, 56
Focused ion beam
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Formability parameters
A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming, 94
Forming defects
Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy, 747
Forming force
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Forming limit
Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming, 103

Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels, 173
Study on forming limit and feasibility of tube axial compressive process, 292
Forming limit stress diagram
Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels, 173
Forming process
Experimental research on the stiffness of cylindrical shallow shell, 132
Forming quality
3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning, 486
Forming springback
Springback variational principles of bending of straight beams with large deflection, 220
Form-shaping function
Development of a five-axis postprocessor system with a nutating head, 60
Free form surface
New polishing technology of free form surface by GC, 81
Friction
Friction and formability of galvannealed interstitial free sheet steel, 164
Friction analysis of microcosmic elastic-plastic contact for extrusion forming, 631
Friction stir welding
Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone, 224
Front end module (FEM) carrier
Improvement of the surface quality of an automotive member by a modification of the stamping tool, 387
Functional prototype development
Functional prototype development of multi-layer board (MLB) using rapid prototyping technology, 619
Functionally graded materials
Effect of different thermal conductivity functions on temperature fields in FGM, 212
Fused deposition modeling
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Fuzzy expert system
Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape, 720
Fuzzy inference
Prediction of curvatures of parts extruded through rotary die using fuzzy inference, 702
Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape, 720
Fuzzy logic
Application of fuzzy control of laminar cooling for hot rolled strip, 715

Galvannealed steel
Friction and formability of galvannealed interstitial free sheet steel, 164
Gas pressure
A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade, 526
Gas-assisted injection molding (GAIM)
Analysis of diffusion mechanism between gas and melt in gas-assisted injection molding, 685
Gear forging
Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting, 14
Generatrix
A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming, 94
Genetic algorithm
Springback prediction for sheet metal forming based on GA-ANN technology, 227
Optimization with different methods for material processing parameters, 706
Geometrical continuity
Generation and optimization of slice profile data in rapid prototyping and manufacturing, 623
Glasses
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Glassy carbon
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Grain size
Research on deformation and microstructure evolution during forging of large-scale parts, 591
Grain size control
The grain size control of A356 aluminum alloy by horizontal electromagnetic stirring for rheology forging, 344
Graphite particles
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Grinding center
New polishing technology of free form surface by GC, 81
Guide roller
Research on following motion rule of guide roller in cold rolling groove ball ring, 743

Hardened layer
The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation, 562
Hardness
Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering, 417
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Hat shaped section member
The axial collapse characteristics of hat shaped section members in a vehicle, 136
Heat stress
Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping, 363
High speed dehydration
An experimental study on improvement of joining strength of the spin drum seaming division in washing machine, 155
High temperature deformation
Deformation behavior of Al–Mg–Si alloy at the elevated temperature, 533
An internal variable approach to high temperature deformation and superplasticity of Mg alloys, 550
High-nitrogen austenitic steel
Strain rate dependence of deformation behavior of high-nitrogen austenitic steels, 575
High-voltage capacitor
A study on cold forging process sequence design of terminal pins for high-voltage capacitors, 604
Hole expanding ratio
Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion, 358
Hot embedding
The novel fabrication of multi-metal layers embedded in PMMA polymer material, 314
Hot embossing
The novel fabrication of multi-metal layers embedded in PMMA polymer material, 314

Hot extrusion
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Hot rolling
Design of sizing press anvil for decrease of defect in hot strip, 738
Hot strip mill
Application of fuzzy control of laminar cooling for hot rolled strip, 715
Hot tool design
A study of tool design for minimization of heat-affected zone in rapid heat ablation process, 51
Hot-embossing
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Hot-forging
Flow softening behavior during high temperature deformation of AZ31Mg alloy, 766
Hub-hole expanding process
Prediction of fracture in hub-hole expanding process using a new ductile fracture criterion, 358
Humanoid robot
Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot, 609
Hydroforming
Evaluation of the crash energy absorption of hydroformed bumper stays, 283
FEA on deformation behavior of tailor-welded tube in hydroforming, 287
Hydro-mechanical reverse deep drawing
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300
Hydroxyapatite
Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering, 417

Impact strength
Study on processs and impact strength for a rotationally molded truck fender, 492
Inclined die
Prediction of curvatures of parts extruded through rotary die using fuzzy inference, 702
Inclined polygon mirror
A study on manufacturing technology for an inclined polygon mirror, 56
Indirect extrusion
Fabrication and characterization of Ti–Cu clad materials by indirect extrusion, 653
Infiltration
Influence of preform preparation condition on infiltration of molten aluminum, 530
Injection molding
Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts, 668
Injection molding process
Adaptive adjustment of plastic injection processes based on neural network, 676
Injection moulding
Adaptive system for electrically driven thermoregulation of moulds for injection moulding, 690
Instrumented indentation
Characterization of inelastic deformation in metallic glass using instrumented indentation, 794
Integration optimization
Parameters' automated optimization in sheet metal forming process, 159
Interactive effects
The interactive effects of wrinkling and other defects in thin-walled tube NC bending process, 502
Interface
Fabrication and characterization of Ti–Cu clad materials by indirect extrusion, 653
Interface properties
Effects of annealing on the mechanical and interface properties of stainless steel/aluminum/copper clad-metal sheets, 546
Interference
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Interference-free
Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam, 10
Interferometric fringe pattern
Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique, 232
Internal high pressure forming
FEA on deformation behavior of tailor-welded tube in hydroforming, 287
Internal variable theory
An internal variable approach to high temperature deformation and superplasticity of Mg alloys, 550
Interrupted machining
A study on manufacturing technology for an inclined polygon mirror, 56
Inverse approach
Fast FE analysis system for sheet metal stamping—FASTAMP, 402
ISB panel
Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures, 521
Isight
Parameters' automated optimization in sheet metal forming process, 159
Isothermal enclosed die forging
Near net shape forming process of a titanium alloy impeller, 582
Isothermal extrusion
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635

Johnson–Cook
Experimental and numerical analyses of explosive free forming, 512

Kinematic hardening
A three-invariant cap plasticity model with kinematic hardening rule for powder materials, 680
Knowledge discovery
Robust optimization based on knowledge discovery from metal forming simulation, 698

Large slewing ring
Development of the profile ring rolling process for large slewing rings of alloy steels, 730
Large-scale forging parts
Research on deformation and microstructure evolution during forging of large-scale parts, 591
Laser ablation
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Laser micromachining
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Laser surface hardening
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467
Lateral upsetting
A study on cold forging process sequence design of terminal pins for high-voltage capacitors, 604
Lightweight component
FEA on deformation behavior of tailor-welded tube in hydroforming, 287

Limiting drawing ratio
Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets, 202
Linear mark
The simulation study of the linear mark generating process in the stretch reducing, 373
Local loading method
Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs, 480
Lock-position
Investigation of deviations of the lock-position of dies due to unsteady thermal conditions, 6

M2 steel mandrel roller
The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation, 562
Machine behavior
Five-axis machining time estimation algorithm based on machine characteristics, 37
Machining speed
5-Axis machining speed enhancement by step length optimization, 2
Machining time
Five-axis machining time estimation algorithm based on machine characteristics, 37
Magnesium
An internal variable approach to high temperature deformation and superplasticity of Mg alloys, 550
Improving the properties of forged magnesium parts by optimized process parameters, 761
Severe plastic deformation of the magnesium alloy AZ31, 775
Magnesium alloy
Investigation of viscosity properties for rheology forming of AM50A magnesium alloy, 335
Texture development in a warm rolled AZ31 magnesium alloy, 559
Magnesium alloy (AZ61A)
The study of cup-rod combined extrusion processes of magnesium alloy (AZ61A), 649
Magnesium composite
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Magnetic abrasive finishing (MAF)
Micro deburring for precision parts using magnetic abrasive finishing method, 19
Magnetron sputtering
Comparative studies on microstructure and mechanical properties of CrN, Cr–C–N and Cr–Mo–N coatings, 566
Maslennikov's technique
Numerical simulation of sheet metal drawing by Maslennikov's technique, 192
MCWR
Computer aided design for cross wedge rolling tools of automobile semi-axes, 41
Mechanical press joining
An experimental study on improvement of joining strength of the spin drum seaming division in washing machine, 155
Mechanical properties
The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires, 178
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Mechanical properties and failure characteristics of ISB panel with metalllic pyramidal inner structures, 521
Severe plastic deformation of the magnesium alloy AZ31, 775
Mechanical stirring
Investigation of viscosity properties for rheology forming of AM50A magnesium alloy, 335
Mechanical strength
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Mechanism
Study on mechanism of cylindrical shallow shell surface deflection, 145
Melt flow index
Study on processs and impact strength for a rotationally molded truck fender, 492
Melt-liquid-quenching
Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium, 791
Mesh distortions
The simulation study of the linear mark generating process in the stretch reducing, 373
Meshless method
Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method, 412
Metal bond
The effects of rare earth on the fracture properties of different metal–diamond composites, 421
Metal flow
Preform design for precision forging of an asymmetric rib-web type component, 595
Metal forming
Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method, 412
Metal forming simulation
Robust optimization based on knowledge discovery from metal forming simulation, 698
Metal matrix composite
Roll casting of wire inserted aluminum alloy strip, 508
Metal matrix nanocomposite
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Metal mold
A new polishing method of metal mold with large-area electron beam irradiation, 77
Method of lines
Effect of different thermal conductivity functions on temperature fields in FGM, 212
Micro burrs
Micro deburring for precision parts using magnetic abrasive finishing method, 19
Micro end milling
A mechanistic model of cutting force in the micro end milling process, 250
Micro gripper
A precision alignment method of micro tensile testing specimen using mechanical gripper, 241
Micro tensile test
A precision alignment method of micro tensile testing specimen using mechanical gripper, 241
Micro tool
A mechanistic model of cutting force in the micro end milling process, 250
Microforming
Size effects of the cavity dimension on the microforming ability during coining process, 256
Microgears
Size effects of the cavity dimension on the microforming ability during coining process, 256
Microhardness
Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium, 791
Micro-hardness
The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition, 571

Micromachining
Micro-EDM of sintered diamond, 274
Micromanipulator
A precision alignment method of micro tensile testing specimen using mechanical gripper, 241
Micro-metal injection molding
Binder system for STS 316 nanopowder feedstocks in micro-metal injection molding, 270
Micro-mold
Fabrication of micro-mold for glass embossing using focused ion beam, femto-second laser, eximer laser and dicing techniques, 326
Microspeaker
Analysis of acoustic characteristics according to design parameter of diaphragm, 442
Microstructure
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Research on deformation and microstructure evolution during forging of large-scale parts, 591
Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation, 780
Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium, 791
Micro-tool
Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating, 264
Microtube
Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes, 236
Milli-scale
Evaluation of milli-scale cylindrical cup in two-stage deep drawing process, 245
Minimum distortion criterion
Overview of adaptable die design for extrusions, 662
Misalign
A precision alignment method of micro tensile testing specimen using mechanical gripper, 241
Model experiment
Near net shape forming process of a titanium alloy impeller, 582
Mold
New polishing technology of free form surface by GC, 81
Micro-EDM of sintered diamond, 274
Mold fabrication
The novel fabrication of multi-metal layers embedded in PMMA polymer material, 314
Mold filling and solidification
Numerical simulation of AZ91D alloy automobile plug in pressure die casting process, 349
Moldability
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Monobloc shaft
Design of mandrel in tube drawing process for automotive steering input shaft, 182
Motion rule
Research on following motion rule of guide roller in cold rolling groove ball ring, 743
Motor-case
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Mould cooling
Adaptive system for electrically driven thermoregulation of moulds for injection moulding, 690
Multi-forming
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Multi-layer board
Functional prototype development of multi-layer board (MLB) using rapid prototyping technology, 619
Multi-layered thin film
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Multi-metal layers
The novel fabrication of multi-metal layers embedded in PMMA polymer material, 314
Multi-pass dieless drawing
Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes, 236
Multi-point forming
Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis, 453
The analyse on the process of multi-point forming for dish head, 471
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Multi-stage deep drawing
Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars, 197
Multistage forging
Process analysis of multistage forging by using finite element method, 586
Multi-stage forming
Study on multi-stage sheet metal forming for automobile structure-pieces, 113
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300
Multi-step forming
Application of the forming limit stress diagram to forming limit prediction for the multi-step forming of auto panels, 173
The analyse on the process of multi-point forming for dish head, 471

Nabarro–Herring creep
Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model, 786
Nano composite deposition system
Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS), 331
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Nano-indentation
Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet, 309
Nanoscale fabrication
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM, 321
Nanovoid
Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model, 786
NC bending
The interactive effects of wrinkling and other defects in thin-walled tube NC bending process, 502
NC data
Five-axis machining time estimation algorithm based on machine characteristics, 37
ND//⟨1 1 1⟩
Texture evolution of rolled AA5052 alloy sheets after annealing, 578
Nd:YAG laser
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467

Negative incremental forming
A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming, 94
Neural networks
Design of sizing press anvil for decrease of defect in hot strip, 738
Flow softening behavior during high temperature deformation of AZ31Mg alloy, 766
Neutron diffraction
Texture development in a warm rolled AZ31 magnesium alloy, 559
Ni-MH battery container
Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars, 197
NiO electrospun nanofiber
Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering, 417
Non-stationary signal processing method
A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system, 30
Numerical simulation
Study on multi-stage sheet metal forming for automobile structure-pieces, 113
The study on numerical simulation of the laser tailor welded blanks stamping, 128
The study of engine hood panel forming based on numerical simulation technology, 140
Study on mechanism of cylindrical shallow shell surface deflection, 145
Parameters' automated optimization in sheet metal forming process, 159
Numerical simulation of sheet metal drawing by Maslennikov's technique, 192
The effect of the key process parameters in the innovative hydroforming on the formed parts, 304
Numerical simulation of AZ91D alloy automobile plug in pressure die casting process, 349
Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method, 412
Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis, 453
The analyse on the process of multi-point forming for dish head, 471
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Study on a new technological scheme for cold forging of spur gears, 600
Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts, 668
Nutating head
Development of a five-axis postprocessor system with a nutating head, 60

One-step finite element method
One-step FEM based control of weld line movement for tailor-welded blanks forming, 383
One-step inverse analysis
Optimum design of trimming line by one-step analysis for auto body parts, 108
Optical device alignment
A study on optical device alignment system using ultra precision multi-axis stage, 65
Optical glass lens
Prediction of birefringence distribution for optical glass lens, 407
Optical lens with an elliptical profile
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467
Optimal design
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Design of sizing press anvil for decrease of defect in hot strip, 738
Optimization
5-Axis machining speed enhancement by step length optimization, 2
Prediction of blow forming profile of spherical titanium tank, 463
Optimized process parameters
Improving the properties of forged magnesium parts by optimized process parameters, 761
Optimum design
Optimum design of trimming line by one-step analysis for auto body parts, 108
Orthogonal array
Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies, 711
Orthogonal design
Optimization with different methods for material processing parameters, 706
Orthogonal experiment method (Taguchi method)
Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts, 668
Outer race
Process analysis of multistage forging by using finite element method, 586
Application of fuzzy expert system to estimate dimensional errors of forging products having complicated shape, 720
Out-of-plane ESPI
Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique, 232

Parameterized meshing
Study on the method of parameterized meshing and its system realization, 368
Particle cracking
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Partition of unity
An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes, 397
Peak search
A study on optical device alignment system using ultra precision multi-axis stage, 65
Pearlite
The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires, 178
PECVD
The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition, 571
PEM fuel cell
Evaluation of graphite composite bipolar plate for PEM (proton exchange membrane) fuel cell: Electrical, mechanical, and molding properties, 425
Permeability
Influence of preform preparation condition on infiltration of molten aluminum, 530
PFEA
Study on the method of parameterized meshing and its system realization, 368
Photochemical effect
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Photothermal effect
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Planar slip
Strain rate dependence of deformation behavior of high-nitrogen austenitic steels, 575
Plastic constraint factor
Characterization of inelastic deformation in metallic glass using instrumented indentation, 794

Plastic deformation
Consolidation of 1 vol.% carbon nanotube reinforced metal matrix nanocomposites via equal channel angular pressing, 318
Deformation and strengthening of sintered ferrous material, 694
Plastic deformation homogeneity
Die design for homogeneous plastic deformation during equal channel angular pressing, 46
Polarization direction
On evaluation of CFRP composite laminates using ultrasonic with polarization direction, 437
Polishing
A new polishing method of metal mold with large-area electron beam irradiation, 77
New polishing technology of free form surface by GC, 81
Polyimide
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260
Porosity
Effect of extrusion temperature on the microstructure and porosity of A356-SiC_p composites, 433
Postprocessor
Development of a five-axis postprocessor system with a nutating head, 60
Powder
A yield function for copper powder in compaction, 672
Powder compaction
An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes, 397
A yield function for copper powder in compaction, 672
A three-invariant cap plasticity model with kinematic hardening rule for powder materials, 680
Powder rolling
Evolution of temperature gradients during rolling of $Cu_{54}Ni_6Zr_{22}Ti_{18}$ bulk metallic glass in the super cooled liquid region, 798
Powdering
Friction and formability of galvannealed interstitial free sheet steel, 164
Power law elasto-plastic stress–strain behavior
Identification of the bulk behavior of coatings by nano-indentation test and FE-analysis and its application to forming analysis of the coated steel sheet, 309
Power steering hose
Swaging process of power steering hose: Its finite element analysis considering the stress relaxation, 497
Precision forging
Preform design for precision forging of an asymmetric rib-web type component, 595
Improving the properties of forged magnesium parts by optimized process parameters, 761
Prediction
Springback prediction for sheet metal forming based on GA-ANN technology, 227
Prediction model
Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process, 123
Preform
Prediction of birefringence distribution for optical glass lens, 407
Influence of preform preparation condition on infiltration of molten aluminum, 530
Preform design for precision forging of an asymmetric rib-web type component, 595
Press forging
A study of flow-through phenomenon in the press forging of magnesium-alloy sheets, 770
Press forming
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Press forming using ultrasonic vibration, 118
Process
Study on multi-stage sheet metal forming for automobile structure-pieces, 113
Process control
Investigation of deviations of the lock-position of dies due to unsteady thermal conditions, 6
Process planning
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Fast FE analysis system for sheet metal stamping—FASTAMP, 402
Product design
Fast FE analysis system for sheet metal stamping—FASTAMP, 402
Profile ring rolling
Development of the profile ring rolling process for large slewing rings of alloy steels, 730
Prony series
Swaging process of power steering hose: Its finite element analysis considering the stress relaxation, 497
Protective cover gas
Development of AZ31 Mg alloy wrought process route without protective gas, 757
Pulse electrochemical machining
Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating, 264
Push-bending
Study on varying curvature push-bending technique of rectangular section tube, 476
PZT actuator
A study on optical device alignment system using ultra precision multi-axis stage, 65

Quality
The effect of the key process parameters in the innovative hydroforming on the formed parts, 304
Quality prediction
Ductile fracture modeling of initiation and propagation in sheet-metal blanking processes, 169

Rapid heat ablation process (RHA)
A study of tool design for minimization of heat-affected zone in rapid heat ablation process, 51
Rapid manufacturing
A study of tool design for minimization of heat-affected zone in rapid heat ablation process, 51
Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot, 609
Rapid prototyping
Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS), 331
Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot, 609
Functional prototype development of multi-layer board (MLB) using rapid prototyping technology, 619
Measurement of anisotropic compressive strength of rapid prototyping parts, 627
Rapid prototyping and manufacturing
Generation and optimization of slice profile data in rapid prototyping and manufacturing, 623
Rapid prototyping manufacturing
Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering, 614
Rapid solidification
Reciprocating extrusion of rapidly solidified Mg–6Zn–1Y–0.6Ce–0.6Zr alloy, 640
Rare earth
The effects of rare earth on the fracture properties of different metal–diamond composites, 421

Reciprocating extrusion
Reciprocating extrusion of rapidly solidified Mg–6Zn–1Y–0.6Ce–0.6Zr alloy, 640
Recrystallization
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635
Reduced peak height (R_{pk})
Effects of pad properties on material removal in chemical mechanical polishing, 73
Residual analysis
An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel, 26
Residual stress
Prediction of birefringence distribution for optical glass lens, 407
Residual stress analysis
Numerical determination of residual stress in friction stir weld using 3D-analytical model of stir zone, 224
Restoration
Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets, 202
Reverse engineering
Research on rapid repairing techniques for auto panel dies, 69
The blank design and spring back control of a stamping die by using the bi-arc surface model, 150
Rheology
Investigation of viscosity properties for rheology forming of AM50A magnesium alloy, 335
Rib-web component
Preform design for precision forging of an asymmetric rib-web type component, 595
Rib–web forgings
Research on local loading method for an aluminium-alloy hatch with cross ribs and thin webs, 480
Rigid blank-holder
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Rigid/visco-plastic materials
Massive metal forming process simulation based on rigid/visco-plastic element-free Galerkin method, 412
Ring rolling
Investigation of distribution of plastic zone in the process of plastic penetration, 734
Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy, 747
Robust optimization
Robust optimization based on knowledge discovery from metal forming simulation, 698
Roller feed rate
3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning, 486
Roller profile
The simulation study of the linear mark generating process in the stretch reducing, 373
Rolling
Texture evolution of rolled AA5052 alloy sheets after annealing, 578
Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper, 783
Rolling texture
Formation of shear texture components during hot rolling of AA 1050, 542
Rolling-moment
Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling, 752
Rotational molding
Study on processs and impact strength for a rotationally molded truck fender, 492
Rotational radius
A run-out measuring method using modeling and simulation in four-fluted end milling, 207
Rotor-bearing system
A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system, 30
Rough surface
Friction analysis of microcosmic elastic-plastic contact for extrusion forming, 631
Roundness
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Rubber tool
Numerical simulation of sheet metal drawing by Maslennikov's technique, 192
Run-out model
A run-out measuring method using modeling and simulation in four-fluted end milling, 207
Run-out parameter
A run-out measuring method using modeling and simulation in four-fluted end milling, 207

S45C medium carbon steel
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467
Scandium
Effect of scandium content on the hot extrusion of Al–Zn–Mg–(Sc) alloy, 635
Scanned data
A numerical and experimental study of surface deflections in automobile exterior panels, 99
Sealing performance
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Sealing system
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Seam defect
Design of sizing press anvil for decrease of defect in hot strip, 738
Seaming
An experimental study on improvement of joining strength of the spin drum seaming division in washing machine, 155
Sectional forming
The analyse on the process of multi-point forming for dish head, 471
Semi-axes
Computer aided design for cross wedge rolling tools of automobile semi-axes, 41
Semi-solid
Investigation of viscosity properties for rheology forming of AM50A magnesium alloy, 335
Semi-solid process
The grain size control of A356 aluminum alloy by horizontal electromagnetic stirring for rheology forging, 344
Severe plastic deformation
Severe plastic deformation of the magnesium alloy AZ31, 775
Shear texture
Formation of shear texture components during hot rolling of AA 1050, 542
Texture evolution of rolled AA5052 alloy sheets after annealing, 578
Sheet hydroforming
The effect of the key process parameters in the innovative hydroforming on the formed parts, 304
Sheet metal
The study on forming principle in the process of hydro-mechanical reverse deep drawing with axial pushing force for cylindrical cups, 300
Study of blank-holder technology on multi-point forming of thin sheet metal, 517
Sheet metal drawing
Numerical simulation of sheet metal drawing by Maslennikov's technique, 192

Sheet metal forming
Effects of embossing and restoration process on the deep drawability of aluminum alloy sheets, 202
Springback prediction for sheet metal forming based on GA-ANN technology, 227
One-step FEM based control of weld line movement for tailor-welded blanks forming, 383
Sheet metal stamping
Fast FE analysis system for sheet metal stamping—FASTAMP, 402
Shrink fitting
Spur gear forging tool manufacturing method considering elastic deformation due to shrink fitting, 14
Silica sand patterns
Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering, 614
Simple partial remelting
Novel thixoextrusion process for Al wrought alloys, 354
Simulation
A run-out measuring method using modeling and simulation in four-fluted end milling, 207
The simulation study of the linear mark generating process in the stretch reducing, 373
Simulations
Experimental and numerical analyses of explosive free forming, 512
Sintered diamond
Micro-EDM of sintered diamond, 274
Sintered ferrous material
Deformation and strengthening of sintered ferrous material, 694
Sintered quality
Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering, 614
Size effects
Size effects of the cavity dimension on the microforming ability during coining process, 256
Sizing press
Design of sizing press anvil for decrease of defect in hot strip, 738
Slice profile
Generation and optimization of slice profile data in rapid prototyping and manufacturing, 623
Slope distribution
A comparative study on the forming limits of an aluminum sheet-metal in negative incremental forming, 94
SLS
Rapid prototyping manufacturing of silica sand patterns based on selective laser sintering, 614
S–N curve
High temperature bending fatigue behavior of stainless steels for automotive exhaust, 555
Solid state bonding
A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade, 526
Spark plasma sintering
Deformation behavior of Ni-based bulk metallic glass synthesized by spark plasma sintering, 801
Spatial cam
Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam, 10
Special cooling medium
Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium, 791
Speed-up and coast-down process
A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system, 30
Spinning force
3D FEM analysis of influence of roller feed rate on forming force and quality of cone spinning, 486
SPL
Analysis of acoustic characteristics according to design parameter of diaphragm, 442
Spot welded member
The axial collapse characteristics of hat shaped section members in a vehicle, 136
Spring back
A study on the springback in the sheet metal flange drawing, 89
Experimental research on the stiffness of cylindrical shallow shell, 132
Springback prediction for sheet metal forming based on GA-ANN technology, 227
Finite element analysis on process improvement of the multi-forming for the motor-case of an automobile, 378
Springback control
The blank design and spring back control of a stamping die by using the bi-arc surface model, 150
Springback finite element method
Springback variational principles of bending of straight beams with large deflection, 220
Springback principle of the minimum potential energy
Springback variational principles of bending of straight beams with large deflection, 220
Springback simulation
A numerical and experimental study of surface deflections in automobile exterior panels, 99
Spur gear
Study on a new technological scheme for cold forging of spur gears, 600
Stainless steel 316 nanopowder
Binder system for STS 316 nanopowder feedstocks in micro-metal injection molding, 270
Stamping
Experimental and analytical studies for forming limit of AZ31 alloy on warm sheet metal forming, 103
The study of engine hood panel forming based on numerical simulation technology, 140
Stamping die design
The blank design and spring back control of a stamping die by using the bi-arc surface model, 150
Statistical analyses
Statistical analysis on electrode wear in EDM of tool steel DIN 1.2714 used in forging dies, 711
Steady state
Effect of different thermal conductivity functions on temperature fields in FGM, 212
Stiffness
Experimental research on the stiffness of cylindrical shallow shell, 132
STL
Generation and optimization of slice profile data in rapid prototyping and manufacturing, 623
Strain distributions
The study on numerical simulation of the laser tailor welded blanks stamping, 128
Study on a new technological scheme for cold forging of spur gears, 600
Strain hardening
Die design for homogeneous plastic deformation during equal channel angular pressing, 46
Strain rate
Strain rate dependence of deformation behavior of high-nitrogen austenitic steels, 575
Strain state
Evolution of strain states during rolling of bulk metallic glass canned with crystalline copper, 783
Strength
Characterization of Al–Si–Mg alloys fast quenched from the melt by special medium, 791
Strengthening
Deformation and strengthening of sintered ferrous material, 694

Stress relaxation
Swaging process of power steering hose: Its finite element analysis considering the stress relaxation, 497
Stretch reducing
The simulation study of the linear mark generating process in the stretch reducing, 373
Strip bending test
Measurement of mechanical properties of film material using out-of-plane micro-ESPI technique, 232
Sub-frame
A study on press forming of automotive sub-frame parts using extruded aluminum profile, 85
Superplastic blow forming
Prediction of blow forming profile of spherical titanium tank, 463
Superplasticity
Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes, 236
A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade, 526
An internal variable approach to high temperature deformation and superplasticity of Mg alloys, 550
Surface deflection
A numerical and experimental study of surface deflections in automobile exterior panels, 99
Study on mechanism of cylindrical shallow shell surface deflection, 145
Surface microstructure
The influence of surface layer microstructure evolution of M2 steel cold-ring rolling mandrel roller on fatigue crack initiation, 562
Surface quality
Improvement of the surface quality of an automotive member by a modification of the stamping tool, 387
Surface roughness
An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel, 26
Effects of pad properties on material removal in chemical mechanical polishing, 73
Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes, 236
Evaluation of milli-scale cylindrical cup in two-stage deep drawing process, 245
Surface treatment
Surface treatment of $Al_{18}B_4O_{33}$ whisker and development of $Al_{18}B_4O_{33}$/ZK60 magnesium alloy matrix composite, 429
Swaging process
Swaging process of power steering hose: Its finite element analysis considering the stress relaxation, 497

Taguchi method
A study on the springback in the sheet metal flange drawing, 89
Tailor welded blanks
The study on numerical simulation of the laser tailor welded blanks stamping, 128
One-step FEM based control of weld line movement for tailor-welded blanks forming, 383
Tailor-welded tube
FEA on deformation behavior of tailor-welded tube in hydroforming, 287
Tearing and buckling
Study on forming limit and feasibility of tube axial compressive process, 292
Temperature distribution
Analysis on temperature distribution in cross wedge rolling process with finite element method, 392
Temperature effect
The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition, 571
Temperature field
Effect of different thermal conductivity functions on temperature fields in FGM, 212
Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process, 339
Tensile deformation
Strain rate dependence of deformation behavior of high-nitrogen austenitic steels, 575
Tensile strength
Evaluation of mechanical and electrical properties of nanocomposite parts fabricated by nanocomposite deposition system (NCDS), 331
Terminal pin
A study on cold forging process sequence design of terminal pins for high-voltage capacitors, 604
Test system
Theoretical and experimental study of varying rule of rolling-moment about cross-wedge rolling, 752
Texture
Texture development in a warm rolled AZ31 magnesium alloy, 559
Thermal barrier coating (TBC)
Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue, 537
Thermal fatigue
Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue, 537
Thermoelectric modules
Adaptive system for electrically driven thermoregulation of moulds for injection moulding, 690
Thickness
Prediction of blow forming profile of spherical titanium tank, 463
Thickness distribution
Evaluation of milli-scale cylindrical cup in two-stage deep drawing process, 245
Thin-walled tube
The interactive effects of wrinkling and other defects in thin-walled tube NC bending process, 502
Thixoextrusion
Novel thixoextrusion process for Al wrought alloys, 354
Three-invariant plasticity
A three-invariant cap plasticity model with kinematic hardening rule for powder materials, 680
Ti–6Al–4V alloy
Ring-rolling design for a large-scale ring product of Ti–6Al–4V alloy, 747
Ti–6Al–4V ELI
A study on diffusion bonding of superplastic Ti–6Al–4V ELI grade, 526
Ti–B–C–N
The effect of deposition temperature and boron addition in Ti–B–C–N films deposited by plasma-enhanced chemical vapor deposition, 571
Ti-Containing diamond-like hydrocarbon
Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating, 264
Ti–Cu clad
Fabrication and characterization of Ti–Cu clad materials by indirect extrusion, 653
TIG welding
An experimental study on improvement of joining strength of the spin drum seaming division in washing machine, 155
Titanium alloy
Research on the process of multi-point forming for the customized titanium alloy cranial prosthesis, 453
Titanium alloy impeller
Near net shape forming process of a titanium alloy impeller, 582
Tool design modification
Improvement of the surface quality of an automotive member by a modification of the stamping tool, 387

Toolpath
Interference-free toolpath generation using enveloping element for five-axis machining of spatial cam, 10
Tools design
Computer aided design for cross wedge rolling tools of automobile semi-axes, 41
Simulation-based prediction model of the draw-bead restraining force and its application to sheet metal forming process, 123
Design and modification of tool to manufacture rectangular cup of Ni-MH battery for hybrid cars, 197
Toughness
Novel mechanism to improve toughness of the hydroxyapatite bioceramics using high-frequency induction heat sintering, 417
TPU
Performance estimation of dust wipers for hydraulic cylinders and optimization of geometric design variables, 215
Transverse rupture strength
The effects of rare earth on the fracture properties of different metal–diamond composites, 421
Tribo-nanolithography (TNL)
Characteristics of mask layer on (1 0 0) silicon induced by tribo-nanolithography with diamond tip cantilevers based on AFM, 321
Trimming line
Optimum design of trimming line by one-step analysis for auto body parts, 108
TRIZ
A study of tool design for minimization of heat-affected zone in rapid heat ablation process, 51
Truck fender
Study on processs and impact strength for a rotationally molded truck fender, 492
Tube axial compressive forming
Study on forming limit and feasibility of tube axial compressive process, 292
Tube drawing
Design of mandrel in tube drawing process for automotive steering input shaft, 182
Tube of rectangular cross-section
Study on varying curvature push-bending technique of rectangular section tube, 476
Tunneling center
Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model, 786
Twin roll caster
Roll casting of wire inserted aluminum alloy strip, 508
Twinning
Strain rate dependence of deformation behavior of high-nitrogen austenitic steels, 575
Twin-roll strip casting
Modelling of coupling flow and temperature fields in molten pool during twin-roll strip casting process, 339
Twist-compression deformation
Research on deformation and microstructure evolution during forging of large-scale parts, 591
Two-step dies
Design of sizing press anvil for decrease of defect in hot strip, 738

Ultra precision
A study on manufacturing technology for an inclined polygon mirror, 56
Ultrasonic vibration
Press forming using ultrasonic vibration, 118
Ultrasonic waves
On evaluation of CFRP composite laminates using ultrasonic with polarization direction, 437
Ultra-thin wall plastic part
Research on effects of injection process parameters on the molding process for ultra-thin wall plastic parts, 668
Unbalanced Magnetron sputtering
Fabrication of wedge-shape tool via electrochemical micromachining with diamond-like carbon coating, 264
Uniform beam technology
Laser surface hardening of S45C medium carbon steel using ND:YAG laser with a continuous wave, 467
Upper bound approach
Overview of adaptable die design for extrusions, 662
UV pulsed laser
Theoretical and experimental investigations into laser ablation of polyimide and copper films with 355-nm Nd:YVO_4 laser, 260

Vacuum casting
Integrated application of CAD/CAM/CAE and RP for rapid development of a humanoid biped robot, 609
Vacuum plasma spray (VPS)
Acoustic emission characteristics for diagnosis of TBC damaged by high-temperature thermal fatigue, 537
Varying curvature
Study on varying curvature push-bending technique of rectangular section tube, 476
Velocity distributions
Study on a new technological scheme for cold forging of spur gears, 600
Vibration signal-based monitoring
A comparative study on damage detection in speed-up and coast-down process of grinding spindle-typed rotor-bearing system, 30
Viscoelasticity
Prediction of birefringence distribution for optical glass lens, 407
Viscosity
Investigation of viscosity properties for rheology forming of AM50A magnesium alloy, 335
Viscous deformation
Interpretation of viscous deformation of bulk metallic glasses based on the Nabarro–Herring creep model, 786
Visualization of surface deflection
A numerical and experimental study of surface deflections in automobile exterior panels, 99

Warm deformation
Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation, 780
Warm rolling
Texture development in a warm rolled AZ31 magnesium alloy, 559
Warm shrink fitting process
Development of optimization technique of warm shrink fitting process for automotive transmission parts (3D FE analysis), 458
Water velocity
Numerical study on heat stress prefabricating ideal crack at the bottom of V shaped notch in precision cropping, 363
Waveform
A run-out measuring method using modeling and simulation in four-fluted end milling, 207
Weld seam
The study on numerical simulation of the laser tailor welded blanks stamping, 128
Wire drawing
The prediction of the occurrence of the delamination in cold drawn hyper-eutectoid steel wires, 178
Wire-EDM
An investigation on effects of wire-EDM machining parameters on surface roughness of newly developed DC53 die steel, 26
Work-hardening
Characterization of inelastic deformation in metallic glass using instrumented indentation, 794

Wrinkle elimination
Effect of alternating blank holder motion of drawing and wrinkle elimination on deep-drawability, 187
Wrinkling
The interactive effects of wrinkling and other defects in thin-walled tube NC bending process, 502
Wrought magnesium alloy
Reciprocating extrusion of rapidly solidified Mg–6Zn–1Y–0.6Ce–0.6Zr alloy, 640
Wrought process
Development of AZ31 Mg alloy wrought process route without protective gas, 757

X-FEM technique
An extended arbitrary Lagrangian–Eulerian finite element modeling (X-ALE–FEM) in powder forming processes, 397

Yield criterion
Deformation and strengthening of sintered ferrous material, 694
Yield function
A yield function for copper powder in compaction, 672

Zerilli–Armstrong
Experimental and numerical analyses of explosive free forming, 512
Zeta phase
Friction and formability of galvannealed interstitial free sheet steel, 164
Zinc coated ball
A study of dry coating process using zinc coated balls, 447
Zn–22%Al alloy
Experimental study on multi-pass dieless drawing process of superplastic Zn–22%Al alloy microtubes, 236